

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-44 2007 versus 2008

Geographic Area	Number of Counted Cases: 2007	Number of Counted Cases: 2008	Difference in Number of Counted Cases: 2007 to 2008	Percent of 2008 Cases that were Preventable
St. Louis City	11	10	-1	40%
St. Louis County	22	26	4	31%
Kansas City	16	17	1	41%
Springfield/Greene	5	0	-5	0%
<hr style="border-top: 1px dashed black;"/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	13	10	-3	20%
<i>Central</i>	4	14	10	29%
<i>Southeastern</i>	11	8	-3	25%
<i>Southwestern</i>	10	4	-6	25%
<i>Eastern</i>	4	2	-2	50%
<hr style="border-top: 1px dashed black;"/>				
Institutionalized Patients*	2	0	-2	0%
<b>TOTAL**</b>	<b>98</b>	<b>91</b>	<b>-7</b>	<b>32%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Tuberculosis Information Management System (TIMS) Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2007 counted cases.