

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-26 2007 versus 2008

| Geographic Area                             | Number of<br>Counted Cases:<br>2007 | Number of<br>Counted Cases:<br>2008 | Difference in<br>Number of<br>Counted Cases:<br>2007 to 2008 | <i>Percent of 2008<br/>Cases that were<br/>Preventable</i> |
|---|-------------------------------------|-------------------------------------|--|--|
| St. Louis City                              | 9                                   | 3                                   | -6   | 67%  |
| St. Louis County                            | 9                                   | 14                                  | 5  | 43%  |
| Kansas City                                 | 10                                  | 10                                  | 0  | 40%  |
| Springfield/Greene                          | 2                                   | 0                                   | -2   | 0%   |
| <u>Region(excluding metropolitan areas)</u> |                                     |                                     |  |  |
| <i>Northwestern</i>                         | 10                                  | 3                                   | -7   | 0%   |
| <i>Central</i>                              | 1                                   | 10                                  | 9  | 30%  |
| <i>Southeastern</i>                         | 4                                   | 3                                   | -1   | 0%   |
| <i>Southwestern</i>                         | 8                                   | 3                                   | -5   | 33%  |
| <i>Eastern</i>                              | 2                                   | 1                                   | -1   | 100%   |
| Institutionalized Patients*                 | 0                                   | 0                                   | 0  | 0%   |
| <b>TOTAL**</b>                              | <b>55</b>                           | <b>47</b>                           | <b>-8</b>  | <b>36%</b>   |

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Tuberculosis Information Management System (TIMS) Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2007 counted cases.